

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/519858	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 13:54
S2	26	@ad<"20030115" and (RFID and waveform). bsum.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 13:57
S3	1	@ad<"20030115" and (RFID and (periodic with waveform)).bsum.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 14:00
S4	103	@ad<"20030115" and (RFID and (different with waveform))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 14:01
S5	97	@ad<"20030115" and (RFID.bsum. and (different with waveform))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 14:00
S6	1	@ad<"20030115" and (RFID and (different with waveform)).bsum.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:03
S7	1	(US-20020152044-\$.did.	US-PGPUB	OR	ON	2007/03/09 15:09
S9	1	S7 and (RFID same clock)	US-PGPUB	OR	ON	2007/03/09 15:10
S10	1	S7 and (synchroniz\$5 near7 clock)	US-PGPUB	OR	ON	2007/03/09 15:59

S11	0	S7 and (clock near2 information)	US-PGPUB	OR	ON	2007/03/09 15:12
S12	1	S7 and (clock with tag)	US-PGPUB	OR	ON	2007/03/09 15:13
S13	1	S7 and (receiv\$3 with (clock tim\$3))	US-PGPUB	OR	ON	2007/03/09 15:13
S14	1	S7 and (generat\$3 near7 clock)	US-PGPUB	OR	ON	2007/03/09 15:59
S15	796	@ad< "20030115" and (RFID (radio near2 frequency)) and (waveform with design\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:03
S16	19	@ad< "20030115" and (RFID (radio near2 frequency)) and (waveform with design\$3 with periodic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:04
S17	25	@ad< "20030115" and (RFID (radio near2 frequency)) and (representation with any with waveform)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:06
S21	17	@ad< "20030115" and (RFID (radio near2 frequency)) and ((waveform near3 (one zero)) same ((cycle duty near time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:10
S22	0	@ad< "20030115" and (RFID (radio near2 frequency)) and (waveform near3 (one zero) near3 design near2 any)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:11
S23	1	@ad< "20030115" and (RFID (radio near2 frequency)) and (waveform near3 design near2 any)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:12
S24	91	@ad< "20030115" and (RFID (radio near2 frequency)) and ((zero one) near3 design near2 any)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:13

S25	0	@ad<"20030115" and (RFID (radio near2 frequency)) and (((zero one) near3 design near2 any) same waveform)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:28
S26	94	@ad<"20030115" and (RFID (radio near2 frequency)) and (design near2 waveform)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:13
S27	2	@ad<"20030115" and (RFID (radio near2 frequency)) and ((design near2 waveform) same any)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:13
S28	1	@ad<"20030115" and (RFID (radio near2 frequency)) and ((zero one) near3 design near2 waveform)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:29
S29	118	@ad<"20030115" and (RFID (radio near2 frequency)) and ((zero one) near3 represent\$5 near2 waveform)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:30
S31	4	S29 and RFID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/18 14:30
S32	118	@ad<"20030115" and (RFID (radio near2 frequency)) and (waveform near third)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 15:28
S33	0	@ad<"20030115" and (RFID (radio near2 frequency)) and (waveform near third near4 multiple)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 15:28

S34	71	@ad< "20030115" and (RFID (radio near2 frequency)) and (third adj waveform)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 15:29
S35	14	@ad< "20030115" and RFID.bsum. and (waveform near5 cod\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 15:30
S36	78	@ad< "20030115" and RFID.bsum. and ((waveform cod\$3) near3 (represent\$3 indicat\$3) near3 ("2" two))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 15:55
S37	0	@ad< "20030115" and RFID.bsum. and ((waveform cod\$3) near3 any near3 representation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:01
S38	90	@ad< "20030115" and RFID.bsum. and ((waveform cod\$3) near4 representation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:01
S39	13	S38 not S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:02
S40	7	@ad< "20030115" and RFID.bsum. and (any near4 representation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:04
S41	2	@ad< "20030115" and RFID.bsum. and ((waveform cod\$3) near4 succession)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:09

S42	2383	@ad<"20030115" and ((waveform cod\$3) near4 succession) not S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:11
S43	173	@ad<"20030115" and ((waveform cod\$3) near4 represent\$3 near4 succession) not S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:11
S44	159	@ad<"20030115" and ((waveform cod\$3) near3 (represent\$3 indicat\$3) near3 succession) not S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:12
S45	0	S44 and RFID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:12
S46	0	@ad<"20030115" and (third near (waveform cod \$3) near3 (represent\$3 indicat\$3) near3 succession)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:13
S47	1	@ad<"20030115" and (third near (waveform cod \$3) near4 succession)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:13
S48	142	@ad<"20030115" and (((represent\$3 indicat\$3) near3 (succession near2 (one "1"))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:15
S49	618	@ad<"20030115" and ((waveform cod\$3) near3 (represent\$3 indicat\$3) near3 (succession continuous\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:16

S50	0	@ad<"20030115" and (third near2 (waveform cod\$3) near3 (represent \$3 indicat\$3) near3 (succession continuous \$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:16
S51	0	S49 and RFID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:16
S52	41	@ad<"20030115" and (third near2 (waveform cod\$3) near5 (succession continuous\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:22
S53	0	@ad<"20030115" and RFID.bsum. and ((waveform cod\$3) near4 any near4 (meaning representation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:26
S54	32	@ad<"20030115" and RFID.bsum. and ((waveform cod\$3) near4 "11")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:44
S55	0	@ad<"20030115" and RFID.bsum. and (succession near ("1" one))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:48
S56	1	@ad<"20030115" and RFID.bsum. and (line adj code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:49
S57	1	("7391329").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/10 16:49

S58	44	"20020167405" "20030174049" "20050099269" "20050099270" "20060261952" "20060261953" "20060261954" "20060261956" "3938316" "4454483" "5117756" "5438694" "5565858" "5583819" "5649295" "5649296" "5686902" "5701127" "5751220" "5867535" "5912632" "5940006" "5952922" "6023198" "6043748" "6046683" "6064320" "6127928" "6130623" "6243013" "6259991" "6356161" "6388532" "6404325" "6472943" "6639509" "6664860" "6784789" "6917291" "7026935" "7120550" "7253719" "7283037" "7304579"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/10 16:51
S59	32	S58 and @ad< "20030115"	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/10 16:51
S60	8	S59 and waveform	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/10 16:52
S61	299	@ad< "20030115" and RFID.bsum. and ((waveform cod\$3) same "11")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:54
S62	173	@ad< "20030115" and RFID.bsum. and ((waveform cod\$3) with "11")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:54
S63	2205	@ad< "20030115" and "341"/\$.ccls. and ((waveform cod\$3) near7 "11")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:58

S64	215	@ad<"20030115" and "341"/\$.ccls. and ((waveform cod\$3) near7 succession)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:58
S65	20	@ad<"20030115" and "341"/\$.ccls. and (waveform near7 succession)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 16:59
S66	1	@ad<"20030115" and "341"/\$.ccls. and (waveform near3 represent\$5 near4 succession)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 17:03
S67	12	@ad<"20030115" and "341"/\$.ccls. and (waveform near5 succession)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 17:04
S68	0	@ad<"20030115" and RFID.bsum. and (waveform near5 any near4 (represent\$5 meaning indicat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/10 17:20
S69	143	@ad<"20030115" and coding same (consecutive adj bit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/20 09:55
S70	6	@ad<"20030115" and coding same (multiple adj bit) near (represent\$5 correspond\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/20 09:55
S71	7	@ad<"20030115" and (coding waveform) near4 (logic adj ("11" "00"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/20 10:01

S73	16	@ad<"20030115" and (pattern coding waveform) near4 (logic near (duplicate multiple consecutive))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/20 10:03
S74	0	@ad<"20030115" and (coding near2 baseband near4 user near2 preference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/20 11:21
S75	0	@ad<"20030115" and (coding near2 baseband near4 preference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/20 11:22
S76	0	@ad<"20030115" and (coding near2 pattern near4 preference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/20 11:22
S77	56	@ad<"20030115" and (coding near2 pattern near4 user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/20 11:22
S78	3450	@ad<"20030115" and (cod\$3 near3 generat\$3 near4 user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/20 11:24
S79	6	@ad<"20030115" and (cod\$3 near pattern near3 generat\$3 near4 user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/20 11:24
S80	0	@ad<"20030115" and null near2 (logic near (duplicate multiple consecutive) near zero)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/20 11:49

S81	5	@ad< "20030115" and null near2 (duplicate multiple consecutive) near zero	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/20 11:49
S82	2	@ad< "20030115" and (RFD same different near2 coding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/20 16:42
S83	8	@ad< "20030115" and (waveform near2 (represent\$3 replac\$3) near2 consecutive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/11 16:57
S84	2	@ad< "20030115" and waveform near3 (represent\$3 replac\$3) near2 (consecutive adj (logic one zero))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/11 16:59
S85	0	@ad< "20030115" and (third adj waveform) near3 ((consecutive multiple duplicate) near (logic zero one))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/11 17:06
S86	86	@ad< "20030115" and waveform near4 ((consecutive multiple duplicate) near (logic zero one))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/11 17:07
S87	10	S86 and ("455"/\$ "370"/\$ "375"/\$ "341"/\$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/11 17:09
S88	0	@ad< "20030115" and (SYN SYNC synchroniz\$5) near2 waveform near4 (consecutive adj (logic zero one))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/11 17:16

S89	0	@ad<"20030115" and (third adj logic) near3 (consecutive adj logic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/11 17:18
S90	0	@ad<"20030115" and (third adj logic) near3 (consecutive adj2 logic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/11 17:18
S91	6	@ad<"20030115" and (third) near3 (consecutive adj2 logic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/11 17:18

1/12/2010 12:14:45 PM

C:\Documents and Settings\zlu\My Documents\EAST\Workspaces\10519858.wsp